

Cell Line Authentication Report

Institution: Cobioer Biosciences CO.,LTD Vendor: Cobioer Biosciences CO.,LTD

Customer: Taohua Jiang

Attention: Taohua Jiang

Tel: 025-86880024

Tel: 025-86880024

Email: jiangtaohua@cobioer.com

Email: jiangtaohua@cobioer.com

1. Sample information:

Sample No.: "SNU407"

2. Methods:

- Genomic DNA was extracted from the cell pellets provided by the customer.
- Samples, together with positive and negative control were amplified using GenePrint System (Promega).
- Amplified products were processed using the ABI3730xl Genetic Analyzer.
- Data was analyzed by GeneMapper4.0 software and then compared with the ATCC, DSMZ or JCRB databases for reference matching.

3. Results:

STR profile

Marker	Sample				Database		
	Allele1	Allele2	Allele3	Allele4	Allele1	Allele2	Allele3
D5S818	10	10			10	11	
D13S317	8	10			8	10	
D7S820	8	10			8	10	
D16S539	11	12			11	12	
VWA	14	16			14	16	
TH01	6	6			6	6	
AMEL	X	Y			X	Y	
TPOX	7	8			7	8	
CSF1PO	10	11			10	11	
D12S391	17	20					
FGA	22	22					
D2S1338	17	21					
D21S11	28	29					
D18S51	12	13	15				
D8S1179	11	12	14				
D3S1358	15	18					
D6S1043	11	13					
PENTAE	14	15					
D19S433	13.2	14.2					
PENTAD	9	11					
D1S1656	12	13					

4. Conclusion

A. The STR results show that there are no four alleles on the main nine locus, there is certainly no cross contamination of human cells in this cell line.

B . The match percent between the sample and the STR database profile is **94.4%/100%**, the cell name is **SNU-407**.

Similarity	Cell line	Source	Shared	D5S818	D7S820	D13S317	D16S539	vWA	TH01	TPOX	CSF1PO	Amelogenin
		Your query		10, 10	8, 10	8, 10	11, 12	14, 16	6, 6	7, 8	10, 11	X, Y
94.4 %	SNU-407	KCLB Korea 407	9	10, 11	8, 10	8, 10	11, 12	14, 16	6, 6	7, 8	10, 11	X, Y

C. The D5S818 Loci with 10,10 was supported by the paper(Cosmic-CLP=1660034; PubMed=25926053).

Note:

1. The STR profile data was compared with the ATCC, DSMZ or JCRB databases, if the cell line is not included in the three institutions, the results are not correct. More information you provided would be useful for Cell Line Authentication.
2. Based on the ANSI Standard, cell lines with 100% match are considered to be “identical”; cell lines with $\geq 80\%$ but less than 100% match are considered to be “related”.

Operator: Xiaomei Liu, Qin Wang

Leader: Wei Zhou

Date: 2024-09-26